All-in-One Android Payment Solution 5.5" Mobile POS **TCS TPN-100H** With Multi-Function



TPM-100H is the cutting-edge secure Electronic Payment Mobile Terminal powered by Android 7.0 operation system. It comes with a 5.5 inch high definition colorful display, industrial level thermal printer and flexible configuration for various Barcode scanner scenarios. A wide range of advanced connectivity options are supported for global 2G / 3G / 4G network, as well as inbuilt NFC contactless, BT4.0 and WIFI. Empowered by Quad-core CPU and massive memory, TPM-100H enables exceptionally fast processing of applications, and supports additional features for local customization including fingerprint scanner and fiscal module. It is your smart choice for one-stop payment and service.

FEATURES

- Safe droid OS, Based on Android 7.0 OS
- 5.5 inch TFT IPS LCD, resolution 1280 x 720
- Built-in high speed 58mm thermal printer with SEIKO head over 50Km print life
- Full bands for global coverage: 4G/3G/2G, WLAN, VPN
- Authentec 508dpi fingerprint module for biometric identification
- Dual camera for quickly QR code scan & Honeywell 2D scanner as option
- One-stop payment of MSR/IC/NFC, with PCI PTS 5.X, EMV L1&L2 certified

7CS TPM-100H



>>> SPECIFICATION

Basic Characteristics	OS	Safedroid OS (based on Android 7.0)
	CPU	Quad-Core 1.35GHZ
	ROM	8GB ROM EMMC
	RAM	1G RAM LPDDR3
	Display	5.5 inch TFT IPS LCD resolution 1280*720
	Panel	Ultra-sensitive capacitive touch screen, can work with
		gloves and wet fingers
	Dimensions	206mm*84mm*32mm (max 56mm)
	Weight	530g(Battery included)
	Keys	3 Physical keys:1 ON/OFF KEY,2 Shortcut keys
		3 Virtual keys: Menu, Home, Back
	Input	Chinese/English ,and supports handwriting and soft
		keyboard
Radio Communication	WIFI	IEEE 802.11 a/b/g/n ,support dual Band 2.4GHZ and
		5GHZ
	Bluetooth	BT 4.0 LE +EDR
	4G	TD-LTE:Band38, Band39, Band40, Band41

Radio Communication		FDD-LTE:Band1,Band3,Band7,Band8,Band20
	3G	UMTS(WCDMA)/HSPA+:Band1,Band8,Band2,Band5
		TD-SCDMA:Band34,Band39
	2G	GSM/GPRS/EDGE:850/900/1800/1900MHZ
Payment	Magnetic Card	Supports ISO7811/7812/7813, and supports triple
	reader	track (tracks 1/2/3), bi-directional
	Smart Card reader	Supports ISO7816 standard
	Contactless Card reader	Supports 14443A / 14443B
	Printer	High-Speed Thermal Printer
		58mm printing paper
		40mm paper roll;
Expansion and	Camera	5MP camera with LED flash and auto-focus function
peripherals	Satellite Positioning	GPS, Supports A-GPS
	Audio	Speaker,Microphone, Earphone
Interfaces	Micro SD Card Slot	1 PCS
	SIM Card Slot	2 PCS MICRO SIM
	PSAM Card Slot	2 PCS Conforms to ISO7816 standard
	USB Port	1PCS TYPE C USB
Devee	Battery	Li-ion battery, 7.4∨ /2600mAH
Power	Charging Port	Type C USB Port ,5V DC,2A
Environment	Operating Temperature	-10°C to 50°C
	Storage Temperature	-20°C to 70°C
	Humidity	5% to 95% Relative Humidity, Non-Condensing
Certification	Electromagnet ic	CE,RoHS,FCC
	Payment	PCI PTS 5.X ,EMV L1&L2,Paypass , Paywave
Anti-tamper	With Anti-tampe	r function
Optional		Semiconductor capacitance
	Fingerprint	18mm x 12.8mm imaging area
		256 x 360 pixel array
		Crossmatch FBI certified
		508dpi
	Front camera	2 Megapixel Fixed Focal Camera